COMPANY

ANNUAL REPORT

MOARD OF DISCOURSE

hahigh Palley Rallroad Company

STOLER HOLDERS

JANUARY 1986, 1875

The second second second seconds.



TWENTIETH

ANNUAL REPORT

OF THE

BOARD OF DIRECTORS

OF THE


Hehigh Falley Pailroad Company

TO THE

STOCKHOLDERS.

JANUARY 19th, 1875.

PHILADELPHIA:
WILLIAM F. MURPHY'S SONS, PRINTERS,
1875.



OFFICERS

OF THE

Herica Paller Railnoad Co.,

JANUARY 19th, 1875.

PRESIDENT,

ASA PACKER.

VICE-PRESIDENT,

CHARLES HARTSHORNE,

TREASURER,

LLOYD CHAMBERLAIN.

SECRETARY,


JOHN R. FANSHAWE.

GENERAL SUPERINTENDENT AND CHIEF ENGINEER,
ROBERT H. SAYRE.

DIRECTORS,

CHARLES HARTSHORNE,
WILLIAM W. LONGSTRETH,
J. GILLINGHAM FELL,
JOHN TAYLOR JOHNSTON,
WILLIAM H. GATZMER,
DAVID THOMAS,

ASHBEL WELCH,
ARIO PARDEE,
WILLIAM L. CONYNGHAM,
WILLIAM A. INGHAM,
JOSEPH WHARTON,
GEORGE B. MARKLE.



ANNUAL REPORT

OF THE

LEHIGH VALLEY RAILROAD COMPANY.

JANUARY 19, 1875.

The anthracite coal tennage for the past year, was4,150,660	Tons.
That for 1873, was	4.6
Being an increase of 6,320	6.6

In addition to this we carried of bituminous coal 26,622 tons, and in 1873, 28,026 tons, being a decrease of 1,404 tons.

Showing a total coal tonnage of 4,177,282 tons against, in 1873, 4,172,366 tons, and a net increase of 4,916 tons.

We refer to the report of the Superintendent and Engineer for further particulars.

The receipts from all sources (including interest from investments, net income from coal lands, &c., &c.),	
amounted to \$7,336,967	10
Operating expenses of the road	41
Net income \$3,865,548	6.9

By comparison with the result in 1873, it will be found that while the receipts from all sources have fallen off \$87,928.01, the operating expenses have been reduced \$413,441.56, showing an increase of net income for 1874, of \$325,513.55 over that of the previous year.

In making up the above accounts we have not included

any allowance for interest not actually received on such of our investments as are at present unproductive, either in coal lands, or in other railroads, &c.

As proposed in the last annual report, we negotiated early in the year \$5,000,000 of the sterling bonds authorized to be issued under our consolidated mortgage, and we have also disposed of \$859,000 of the registered bonds of that issue due in 1923.

The usual quarterly dividends, amounting to ten per cent. per annum, have been paid on the preferred and common stocks.

At the close of our fiscal year (November 30th, 1874) our capital account was as follows:

Preferred and common stocks (including scrip instal-	
ments)	\$24,505,447 50
Seven per cent. registered bonds due in 1910	
- salatted mortgage ponds :	, ,
Sterling	
Registered' \$5,000,000 00 859,000 00	
	5,859,000 00
Total	2/1 20/ 1/2 50
Floating debt, less cash on hand.	Nonc.

We have acquired during the year a controlling interest in the stock of the Philadelphia Coal Company, which holds leases on very valuable tracts of the Girard lands in the Mahanoy basin, belonging to the city of Philadelphia. This company has three collieries in operation, and others in process of erection.

The business of the Pennsylvania and New York Canal and Railroad Company has progressed satisfactorily, and the line has been further improved and considerable additions have been made to its equipment. We refer to the report of that company for fuller details of its condition.

The work on the Easton and Amboy Railroad has been continued, and much of the line is now ready to be used, and the whole will be opened for business as soon as the

connection is made through Musconetcong Tunnel. This we anticipate can be done in April next. About fifty miles of track are now laid, and the coal wharves at Perth Amboy will be ready for the shipment of all the coal that can be brought to them this year. We had expended upon this work to the end of our fiscal year \$6,202,568.75.

There has been no change in the board or general offi-

cers of the company during the past year.

By order of the Board.

ASA PACKER,

President.

Office of Sup't & Eng'r Lehigh Valley Railroad Co., Bethlehem, Pa., November 30, 1874.

Hon. Asa Packer, President, Sir:

The total amount of anthracite coal transported over the main line and branches for the year was 4,150,659.10 tons, an excess over the previous season of 6,319.12 tons, or $\frac{15}{100}$ per cent., and an increase over any past year.

The coal was derived from the following sources:-

From.	1873.	1874.	Increase and Decrease.
Wyoming Region	881,628.13 2,123,097.17 2,974.15 629,570.18 503,802.02 3,265.13 4,144,339.18	1,986,479.06 4,733.05 631,630.14	165,838,12 *136,618.11 1,758.10 2,059.16 *28,197.17 1,979.02 6,819.12

^{*} Decrease.

То	1873.	1874.	Increase and Decrease.
			04 504 04
Penna. & New York R. R	485,184.02	569,718.06	84,534.04
Lacka. & Bloomsburg R. R	85,710.05	70,782.02	*14,928.03
Danville, Hazleton & W. R. R	31,453.16	53,553.13	22,099.17
Northern Central Rwy.	24,929.08	15, 164.14	*9,764.14
Catawissa Br'ch of P. & R. R. R.	140.00	2,963.08	2,823.08
L. & S. Div. C. R. R. of N. J. at		,	
P. Haven, for eanal.	192,668.14	225,650.00	32,981.06
L. & S. Div. C. R. R. of N. J. at	,	, ,	
L. & S. DIV. C. R. It. of It. o. at	1,541.10	2,845.19	1,304.09
P. Haven, for rail.	81,700.15	95,664.12	10000000
Lehigh Canal at Mauch Chunk	16,873.13	15,472.13	N 4 40 4 00
On line of road above M. Chunk.	10,070.10	10,712.10	2,
At and above M. Chunk for Co.'s	00 150 04	66,019.07	*2,139.17
use	68,159.04		N 100 01
At Mauch Chunk	2,731.18	2,233.17	400.01
L. & S. Div. C. R. R. of N. J. at	11 000 10	10 004 00	*1,158.10
Packerton	14,222.19	13,064.09	110 00 20 4 4
On line of r'd below M. Ck., local.	78,959.09	72,321.18	"0,051.11
On line of road below M. Chunk.			#1 400 AC
for Co.'s use	51,517.13	50,079.07	
To furnaces and mf'g eo.'s	653,552.02	530,822.11	*122,729.11
Phila. & Reading R. R		890.00	
Berks County R. R.	*********	3,624.00	3,624.06
Catasauqua & Fogelsville R. R	7,414.08	9,551.00	
East Pennsylvania R. R	8,754.06	25,000.14	16,246.08
North Pennsylvania R. R.	307,830.01	293,445.14	
North Feansylvania it. it.	206, 957.11	165,277.07	
Morris Canal	269,651.08		
Morris & Essex R. R.	1,038,564.05		
Bel. Del. Div. of Penna. R. R	515.822.11	358,633.12	
Central R. R. of N. J	010,022.11	000,000:24	
Totals	4,144,339.18	4,150,659.10	6,319.12
		004 044 40	46,945.03
Total Canal	274,369.09	321,314.12	
Total Rail	3,869,970.09	3,829,344.18	*40,625.11
Totals	4,144,339.18	4,150,659.10	6,319.12

The decrease in the amount of coal carried east from Mauch Chunk is 122,387 tons. The continued depression in all branches of business, but particularly in the various manufactures of iron, has caused a heavy decline in the quantity of coal consumed, amounting upon our line to

^{*} Decrease.

129,368 tons less than last year, and accounting for our loss on east bound tonnage.

Tous of anthracite coal carried one mile.

From.	1873.	1874.	Increase and Decrease.
Wyoming Region	18,507,541.08 48,565,622.09 14,017,863.06 17,864,345.14		*3,623,789.16 *840,715.18
	98,955,382.17 128,197,228.10 227,152,611.07		*3,673,213.13

The number of tons carried one mile was 1.20 per cent. less than the previous year. The rate per ton per mile received was $0.\frac{07}{100}$ cts. in excess of 1873.

Of miscellaneous freight there were transported 1,933,-488.05 tons, equal to 67,298,048 tons transported one mile, a decrease of 845,197.07 mile tons, or 1.26 per cent. The decrease in receipts was \$75,267.39, or 5.61 per cent.

The whole of this decrease occurred in the items of lumber, pig iron, iron ore and live stock, aggregating \$84,251.98 less than last year.

The total number of passengers transported was 1,169,201, equal to 17,460,832 carried one mile, an increase over the previous year of 72,380½, equal to 982,269 carried one mile, a gain of $5.\frac{9}{100}$ per cent. The receipts from this source (passengers, express and mail) show a gain of \$26,790.95, or $5.\frac{28}{100}$ per cent., and is in excess of any previous year.

^{*} Decrease.

The total road receipts and expenses for the year were as follows:

From transportations of	Gross receipts.	Expenses.	Net receipts.
And the second s			
Coal	\$4,958,209.57 1,266,717.64 534,463.81	\$2,410,996.08 749,327.13 311,095.20	517,390.51
Total	\$6,759,391.02 6,710,564.57		\$3,287,972.61 2,825,704.60
Increase	\$48,826.45		\$462,268.01
Increase per cent	0.73	•••••	16.36
Decrease		\$413,441.56	
Decrease per cent		10.64	

There are now in use on all divisions of the road

142.41 miles of single track, and

90.11 miles of double track, in addition to which there are

14.46 miles of second track laid, but used as sidings, and

131.06 miles of sidings, making the whole length of track laid

468.15 miles, being an increase during the year of

6.04 miles.

There are also on the main line and branches 8.51 miles of grading complete, and ready for the track, as follows:

On Eastern Division	.63 miles.
On Wyoming Division	5.20 miles.
On Hazleton Division	2.48 miles.
On Beaver Meadow Division	.20 miles.
Total	8.51 nMles.

The following materials were used for repairs and construction:

Division.	Steel Rails.	Iron Rails.	Switch Frames.	Frogs.	Cross Ties.	Splices.	Kegs of Spikes.
Eastern	46 19 12 10	3,212 700 2,654 2,283 1,704	51 15 44 5 13	61 38 87 32 40	76,023 34,369 36,501 22,522 27,984	2,719 642 3,732 1,398	347 175 242 140 101
Total	87	10,553	128	258	197,399	9,946	1,005
P. & N. Y. R. R. W. Barre to L. & B. Junction	392	521	7	10	11,366	638	30

RAILS.

We have relaid track with steel rails, and have now in use, as follows:

Miles of Steel Track.	On last report.	Relaid this year.	Total now in use.
On Eastern Division On Wyoming Division On Hazleton Division On Beaver Mead. Division	52.35 31.95 5.42 14.87		52.35 31.95 5.42 14.87
-Total miles	104.59		104.59
P. & N. Y. R. R. W. Barre to L. & B. Junc- tion		1.09	1.09

All of our steel rails are wearing well, and comparatively few have been removed during the year from any cause. Those first laid in 1864, are still in the track, and present much the same appearance as at last report.

BUILDINGS AND BRIDGES.

The new engine house at Packerton, spoken of in last report, has been completed, and is in use.

An addition of 75 feet in length has been made to the

framed engine house at Fairview.

The wooden trestle work at the cotton factory, South Easton, has been replaced by a substantial structure of iron.

A temporary trestle work was erected to take the place of the bridge destroyed by fire at Penn Haven Junction.

A new truss girder bridge of 30 feet span, has been built over Big Black Creek, on Hazleton Division, to replace a trestle work, on account of the widening and deepening of the channel of the creek by the Union Improvement Company.

The bridge on Mahanoy Division, over the Catawissa

Railroad, has been renewed.

An arched culvert of 6 feet span, and 94 feet in length, has been built over Frazer's Run, on Hazleton Division, and the trestle work heretofore at that place, is being filled up with refuse from Laurel Hill mine.

In addition to the above, we have built at South Easton, for the Easton and Amboy Railroad, 50 spans of road and farm bridges, 20 spans of double track iron

girder bridges, and 2 water stations.

EQUIPMENT.

Our locomotive equipment has been increased during the year, as follows:

By engines purchased	20 4
Less sold to P. & N. Y. C. & R. R. Co	24 19
Total	5

We have increased our stock of cars, as follows:

BUILT AT OUR OWN SHOPS.

Gravel cars	57
Wreck and tool cars	2
Four-wheeled eaboose cars	3
Four-wheeled coal cars	287

PURCHASED.

Eight-wheeled	house ears	10
Eight-wheeled	platform cars	23

Our equipment is now as follows:

	On last report.	Increase and decrease.	Nov. 30, 1874.
Engines of all classes'	194	5	199
Passenger ears		5	49
Directors' car and pay ear			2
Baggage and express ears			29
Gravel ears		57	126
Four-wheeled house ears	1		1
Eight-wheeled house ears	449	10	459
Stock ears,	12		12
Wreck and tool cars			14
Four-wheeled eaboose cars		3	
Six-wheeled caboose ears		2	4
Eight-wheeled caboose ears			20
Four-wheeled platform ears		*4	100
Six-wheeled platform ears			100
Eight-wheeled platform ears			411
Eight-wheeled gondola cars			264
Lime cars		000	44
Coal cars, rated as four-wheeled	17,210	287	17,497

The loss of the bridge at Penn Haven Junction, 3 spans of 125 feet each, by fire, on the night of September 8th, caused a suspension of coal traffic from Wyoming Division for three days. Through the courtesy of the Central Railroad Company of New Jersey, our freight and pas-

^{*} Decrease.

senger trains were run over their road from Penn Haven Junction to Wilkesbarre. The bridge was replaced temporarily by a trestle work, and subsequently by a wooden truss bridge, which is amply secure for present purposes; but both this and the bridge at White Haven should be replaced with iron structures at an early day. Measures are now being taken looking to the building of an iron bridge across the Delaware at Easton. Surveys have been made with a view of improving our line near Rockport, by the construction of a tunnel 1100 feet in length, which will effect a saving in curvature of 331 degrees. The cost of double track tunnel and approaches, with the necessary change of line above the tunnel, will amount to \$200,000. The cost of double tracking our present line, with some modifications of alignment, will be \$120,000, a difference of \$80,000; from this should be taken \$30,000, saving in double-track, leaving \$50,000 against the new line. To offset this we would have the saving in repairs and transportation over the old track, and the avoidance of curvature. No other argument is needed in favor of the tunnel line.

The work on the Easton and Amboy Railroad is drawing to a close, there being but 1_{10}^{4} miles yet unfinished to complete the grading. 43_{10}^{4} miles of the entire distance has been graded for double track, and much of the remaining distance will be widened for two tracks before the opening of the road. A distance of 3,500 feet at the east end of the tunnel will be graded for four tracks, with material from the tunnel. The work yet remaining to be done to complete the tunnel, is 156 feet lineal of heading, 1279 feet lineal of enlargement, 200 feet lineal of arching, at the west end in soft ground, and about 275 feet of arching in loose rock; 2540 feet of heading have been driven in the past year, showing great energy on the part of the contractor.

To complete the grading of the whole road for a double track, will require the removal of about 440,000 cubic yards. This does not include any tunnel exeavation, of which there yet remains about 15,000 cubic yards.

All the important bridges upon the line are completed. They are first-class structures, built by Kellogg & Maurice, Keystone Bridge Company, Phillipsburg Manufacturing Company and Charles Macdonald. There are yet remaining to put up 11 small bridges, varying in span from 13 to 35 feet. These are being built at our South Easton shops, and are nearly ready for erection. There will be between Phillipsburg and Perth Amboy, 39 iron bridges and girders in spans of from 11 to 172 feet, making a total of 3,647 feet lineal of double track bridge superstructure.


The work at Perth Amboy is well underway. One coal pier, with the connecting trestling, is done, except laying the tracks and putting in the iron shutes. The second one will be in similar condition by March 1st, 1875. A third pier for general freight, built precisely like the others, except the trestling and shutes, is nearly completed; this has been so arranged as to be convertible into a coal pier at any time it may become necessary, by the creetion of trestling, &c., upon it. The timber and piles for all the work now contemplated is now on hand. The dredging of the canals between the piers is about half done.

All the material for the main track, and 40 miles of second track, has been contracted for, and is in process of delivery. 40 miles of single track and 4 miles of sidings have been laid, most of which has been ballasted with gravel. Track laying will be pushed through the winter, so that by the opening of spring and the completion of the tunnel, we may begin to reap some benefit from the large outlay made.

Up to date there has been expended for		
Construction, bridging and track\$4,6	47,276	88
Right of way9	10,437	56
Perth Amboy real estate and coal wharves. 5	556,027	21
Real estate, taxes and sundry other items	58,827	10
Total\$6,2	202,568	75

Expressing renewed obligations to my several assistants in transportation and construction departments, and to our employees generally,

Very respectfully,
ROBERT H. SAYRE,
Superintendent and Engineer.



REPORT

OF THE

PENNSYLVANIA AND NEW YORK CANAL

AND

Railroad Company.

OFFICERS

OF THE

Henna, and New York Janal and Kailroad Jo.

President,

ROBERT H. SAYRE.

Treasurer,

CHARLES HARTSHORNE.

General Superintendent,
ROBERT A. PACKER.

Directors,

ASA PACKER,
WILLIAM W. LONGSTRETH,
CHARLES HARTSHORNE,
ROBERT A. PACKER,
VICTOR E. PIOLLET,
GARRETT B. LINDERMAN,

J. HENRY SWOYER,
JOHN J. TAYLOR,
ROBERT LOCKHART,
JOHN W. HOLLENBACK,
WILLIAM H. SAYRE,
ELISHA P. WILBUR.

REPORT.

TO THE STOCKHOLDERS OF THE PENNSYLVANIA AND NEW YORK CANAL AND RAILROAD COMPANY.

The Managers submit the following report of the business of the past year:

The earnings and expenses for the year ending November 30th, have been

From	Gross Receip	ts.	Expenses.		Net Receipts.
Coal transportation Freight transportation	\$909,405 369,697		\$622,415 271,095		\$286,990 66 98,602 00
Passenger, express and mail	172,794 18,867 14,840	18			52,589 16 18,867 18 14,840 12
Pennsylvania and New York Canal	878				Loss 2,349 26
Total	\$1,486,483 1,487,048				\$469,539 86 448,361 43
Increase					21,178 43
Increase per eent					4.72
Decrease	\$564	95	\$21,743	38	
Decrease per cent	.04		2.09	-	

There has been charged during the year for interest on bonds, \$210,000, leaving \$259,539.86 as applicable to dividends, and State and local taxes.

Compared with last year, the business shows an increase from coal transportation and miscellaneous sources, and a decrease from freight and passenger transportation, and from Sullivan and Eric Railroad, but an increase of \$21,178.43 in net earnings.

The coal traffic has been larger than ever before, and including both kinds, exceeds 1,000,000 tons; for details of this and other matters of interest, you are referred to the superintendent's report, accompanying this.

It will be observed, that our anthracite tonnage to Geneva, Ithaca and Athens Railroad and Southern Central Railroad has increased, and although that to the Eric Railway is not quite so large as last year, the aggregate increase to our Northern connections has been about 71,000 tons.

The cost of transfer of coal and other freights at Waverly, including labor and loss from waste is serious; so far as coal is concerned there is no remedy, but a gauge of road corresponding with our own. The transfer of other freights may be much facilitated, and the expense reduced by the crection of machinery for the transfer of the car bodies from wide to narrow gauge trucks, and vice versa.

The policy adopted of building a few miles of siding each year on the line of the second track, has been continued, and in a few years the entire road will thus be double tracked.

The difference between the cost of iron and steel rails is now less than ever before, and has probably reached its minimum; about 1,800 tons of iron rails were used in repairs of track during the past year, the increased cost of these at present difference in price would have been but \$36,000, or considerably less than sufficient to reroll the iron. We would advise the use of steel for future repairs.

By order of the Board,
ROBERT H. SAYRE,
President.

OFFICE OF THE GENERAL SUPERINTENDENT PENNA. AND NEW YORK CANAL AND R. R. Co., TOWANDA, PA., November 30, 1874.

ROBERT H. SAYRE, Esq.,
President P. & N. Y. C. & R. R. Co.

Sin:—I respectfully submit the following report for fiscal year closing with this date:

COAL TONNAGE.

The coal tonnage by rail was slightly in excess of that of any previous year, and for the first time since the opening of the road, exceeded one million tons. The increase, though not large, is the more gratifying, from having occurred in a year of very moderate business activity, thus indicating a healthy growth in our trade, and inspiring confidence in its future increase.

The total coal tonnage for 1874, was 1,016,747.11 tons, and is here compared with tonnage of previous year.

	1873.	1874.	Increase.
	Tons. Cwt.	Tons. Cwt.	Tons. Cwt.
Anthracite Bituminous	685,373.15 294,868.05	714,030.09	28,656.14 7,848.17
Total			

24

The anthracite coal came from the following sources:

Region.	1873.	1874.	Increase and Decrease.
Wyoming	4,741.09	4,478.17 211.19 9.02	Dec. 965.17 Dec. 79.16
Total	685,373.15	714,030.09	Inc. 28,656.14

This coal was distributed as follows:

-			
	1873.	1874.	Increase and Decrease.
	Tons, Cwt.	Tons. Cwt.	Tons. Cwt.
	00 000 04	00 400 65	T) 4 000 18
On line of road	28,052.04		
To Montrose Railway	2,724.06	3,612.15	Inc. 888.09
To Geneva, Ithaca & A. R. R	145,448.16	216,261.05	Inc. 70,812.09
To Southern Central R. R	155,192.18	172,898,06	Inc. 17,705.08
To Lacka. & Bloomsburg R. R.	1,443.05	393.02	Dec. 1,050.03
To Lehigh Valley R. R	24,004.13	24,15	Dec. 23,979.18
To Eric Railway	242,383.06	214,096.12	Dec. 28,286.14
To Erie R'way, for Watkins	13,280.10	23,300.18	·Inc. 10,020.08
To Elmira	46,816.03	33,295.08	Dec. 13,520.15
Used by P. & N. Y. Co	26,027.14	26,964.01	Inc. 936.07
Total	685,373.15	714,030.09	Inc. 28,656.14

The sources of supply and distribution of bituminous coal tonnage, were as follows:

	1873.	1874.	Increase and Decrease.	
	Tons. Cwt.	Tons. Cwt.	To	ons. Cwt.
From Barclay Region.	014 000 14	104 070 11	D	00 000 00
Towanda Coal Co	214,669.14 79,814.02	16,725.01	Dec.	63,089.01
Schraeder Coal Co From North'n Central Railway.				91,156.14
Gas Coal	384.09	458.16	Inc.	74.07
Total	294,868.05	302,717.02	Inc.	7,848.17

Distribution.	1873. Tons. Cwt.	1874. Tons. Cwt.	Increase and Decrease. Tons. Cwt.
On line of road	$\substack{1,262.12\\22,557.10\\548.18\\1,179.19\\269,201.02\\118.04}$	54,234.19 40,866.17 4,824.06	Inc. 31,677.09 Inc. 40,317.19 Inc. 3,644.07 Dec. 69,338.17
Total	294,868.05	302,717.02	Inc. 7,848.17

The Schraeder Coal Company commenced shipping from their mines on Carbon run, on 26th of March last, and their production during the remaining eight months of the year, has been 91,156.14 cwt.

In the following statement, anthracite and bituminous coal are both included, and the distribution of the combined tonnage shown:

ANTHRACITE AND BITUMINOUS COAL.

•	1873.	1874.	Increase and Decrease.
Distribution.	Tons. Cwt.	Tons. Cwt.	Tons. Cwt.
		0 7 0 7 0 0 0	D 000 00
On line of road	29,314.16		Dec. 3,638.08
To Montrose Railway	2,724.06		Inc. 888.09
To Southern Central R. R	177,750.08		Inc. 49,382.17
To Geneva, Ithaca & A. R. R	145,999.14		Inc.111,130.08
To Lacka. & Bloomsburg R. R.	1,443.05		Dec. 1,050.03
To Lehigh Valley R. R	25,184.12		Dec. 20,335.11
To Eric Railway and Watkins.	524,864.18		Dec. 87,605.03
To Elmira	46,816.03		Dec. 13,520.15
To P. & N. Y. R. R., for use	26,145.18	27,399.15	Inc. 1,253,17
- Total	980,242.00	1,016,747.11	Inc. 36,505.11

A marked increase will be observed in amount of coal delivered to the Southern Central and Geneva, Ithaca and Athens Railroads. The volume of return freights, has also been largely augmented. Business to and from these roads must continue to increase, and steps should be

taken to provide better facilities for its interchange with our road at Sayre.

The decrease in amount delivered to Erie Railway, is not so much an indication of tonnage lost, as an illustration of the effect of competition between the several routes to which coal is delivered for distribution.

SULLIVAN AND ERIE RAILROAD.

We have continued to run the trains on Sullivan and Eric Railroad as heretofore, and have received as compensation, the sum of \$18,869.18, being a decrease of \$1,872.12, as compared with previous year.

I give below a statement of the total shipments from mines in Sullivan region, the local coal not appearing in tonnage statement given above.

	1873. Tons. Cwt.	1874. Tons. Cwt.	Decrease. Tons. Cwt.
Local on S. & E. R. R Delivered to P. & N. Y. R. R			
Total	41,712.19	37,975.05	3,737.14

This property has recently been sold under a forcelosure of the first mortgage bonds, and the indications are that the new management will equip and run the road themselves, thus relieving our rolling stock employed thereon.

EQUIPMENT.

We have increased our motive power by purchase from Lehigh Valley Railroad Company, in January last, of six passenger, ten freight, and three shifting engines, which were then employed on our road, and from Baldwin Locomotive Works, two passenger engines, or twentyone engines in all.

We have built at Waverly, two four-wheel caboose

cars for coal trains, increasing our car equipment by that number, and fifty-three new four-wheel coal cars of standard pattern, to replace an equal number condemned and torn up. The cost of additions and renewals in car department has been charged to repairs.

We now have the following:

- 39 Locomotives.
- 2 Passenger cars.
- 57 Eight-wheeled platform cars.
- 200 Eight-wheeled gondola cars.
- 70 Eight-wheeled stock cars.
- 231 Eight-wheeled house cars.
- 800 Four-wheeled coal cars.
- 31 Four-wheeled gravel cars.
- 4 Eight-wheeled caboose cars.
- 16 Four-wheeled caboose cars.
 - 2 Derrick or wrecking cars, and a suitable supply of hand cars, dirt trucks, &c., for repairs of track.

TRACK AND BRIDGES.

The total length of track now laid and in use, is $184._{100}^{98}$ miles, an increase over previous year of $15._{100}^{54}$ miles.

The following items are included in total mileage of track:

Main line Wilkesbarre to State line	104.30
Second track in use as such	20.51
Second track in use as such as sidings	36.23
Sidings, and second track used as sidings	8.37
Waverly & State Line Railroad, and sidings on same	
Connection with G. I. & A. R. R., and sidings on same	2.66
Connection with S. C. R. R., and sidings on same	2.30
Sidings at Waverly	.39
Sidings at waverly	1.28
Sidings at Elmira	2.63
Towarda branch and sidings	,
Pleasant Valley branch and sidings	6.18
Sidings at West Pittston	.91
Plainesville braneh	.50
Plainesville branen	2.61
Mill Creek branch	1.06
Mineral Spring branch	1.00
	184 08
Total	104.00

Double track is now completed and in use between Towarda and State Line, with the exception of about 2000 feet at Sugar Creek, which cannot be laid until a new bridge is erected over that stream. The masonry has been prepared for this.

The tracks approaching west end of Towanda Bridge have been laid on the new location, reducing the curve from 12 to 8 degrees, and by a direct connection with Towanda Branch, dispensing with the use of crossing

frogs, in main track, at end of bridge.

The improvement in alignment and grades between Towanda and Athens has been very marked. New eulverts and eattle passes have been put under the track where required, and on the completed portions, all wooden bridges have been replaced by iron. These improvements involved the erection of new masonry and superstructure for 4 double track bridges of 30 to 44 feet in length, and the rebuilding of bridge across Chemung river, at Athens. The removal of the dam in river at this point left the bottom of the foundation cribs above low water mark, and exposed to danger from floods. It was, therefore, necessary to take down the piers and rebuild from a deeper foundation. The new masonry was built on an enlarged plan, and a new double track iron bridge, 526 feet in length, erected thereon, replacing the former wooden structure.

The removal of Towanda dam last spring, and the consequent lowering of water level, left the timber foundation cribs of bridge at that point exposed to the weather. To protect these, we have sunk around each crib a boiler iron caisson, extending below the bottom course of timber and reaching above the top of crib. These properly secured, have been filled with broken stone and cement, and the whole protected with brush and stone rip-rap.

The lower chords of wooden bridges at Meshoppen and Falls showing signs of weakness, an additional system of

iron chords has been devised and applied to each, thus increasing their strength and durability.

The bridge crossing bed of old canal, near Meshoppen, is being taken down, and will be replaced by an embankment.

Necessary repairs have been made on the other bridges, as required.

From Rummerfield north, about one mile, a new main track has been graded and laid. The former main track being converted to a siding for passing trains.

In Frenchtown narrows new track has been laid on

grading done last year, and line improved.

Grading for change of track at Girard lock was finished in September, and track is now laid and in use thereon. This change dispenses with a bridge over canal lock, takes out two 12 degree curves in main track, and improves the grade.

Between Wyalusing and Laceyville, about 4,500 feet of grading has been done on new line, and a track laid

thereon is used as a siding.

Below Falls, a siding 2,000 feet long was laid on grading done last year, and 5,500 feet additional graded; this is all on location of second track. Below Ransom, about 3,500 feet, mostly graded last year, is ready for second track.

The work between Falls and Coxton is light, and materials for the most part convenient. Double track on this portion of the road would facilitate the movement of trains in a greater degree than upon any other equal section, and should, after the completion of work between Towanda and Waverly, be provided without delay.

Smaller sidings have been put in at some of the stations, additional tracks have been laid in Coxton yard, some grading done, and minor improvements not enumerated above, effected.

Between Pittston and Wilkesbarre, 2200 miles of double

track are in use, and about 4,000 feet additional grading ready for track.

An arch culvert, 6 feet in diameter, and of sufficient length to receive embankment for two tracks, has been finished at Carney's creek, near Horse Race dam.

The steel rails laid in Waverly yard, December, 1872, and subject to heavy traffic, show no apparent signs of wear, and 392 steel rails have been put in main track

near Pittston during present year.

We have used during the year, in laying new track, 6,231 iron rails, 41,024 cross ties, 38 sets switch irons and frogs, and a proportionate number of splice plates and bolts, spikes and other materials, and in repairs of track, 6,925 new iron rails, 392 new steel rails, 1,894 old iron rails repaired and relaid, 94,200 cross ties, 6,506 pairs splices, 34 frogs, &c.

An equal or greater amount of iron will be required for repairs during the coming year, while the number of ties needed will probably be less than for present year.

BUILDINGS.

A brick passenger depot, 34 by 56 feet, and two stories in height, has been erected at Towanda, and is now in use. The first floor contains waiting rooms for passengers, ticket office and baggage room. The second floor is divided into offices suitably accommodating the business of the road. The building is supplied with heating apparatus, water and gas, and is substantially built, and well finished throughout.

Being unable any longer to rent suitable rooms for a freight office at Waverly, a lot 25 by 50, was purchased early in the spring and an office erected on it. This is a substantial frame building, 20 by 36 feet, and conveni-

ently located and arranged for the buiness.

In consequence of change of line at Ulster, the depot had to be moved about 200 feet, and a new platform built. For the same reason, a new depot will be required at or near Milan during the coming year.

The depot at Laceyville has been altered, repaired and painted.

One mile in length of 3 inch cast iron pipe has been laid from Falling Spring to Coxton, and supplies the tanks at that place. The Falling Spring tank, which would otherwise need to be rebuilt, can now be dispensed with.

The capacity of the cattle yards at Waverly has been increased, and the whole premises graded, drained and otherwise improved.

The coal transfer pockets at Waverly are rapidly deteriorating in strength. Repairs are being made which will probably carry them through another season, after which they will need repairs, nearly or quite equivalent to an entire renewal.

Attention has been called in previous reports to the pressing need of suitable shops at Sayre, for the repairs of engines and cars. The temporary buildings now used as shops are inadequate in size, and unprovided with tools and facilities necessary for the economical performance of the service required.

A new turn-table and engine house are needed at Towanda, and a building of sufficient size to properly accommodate the freight business at that place should be provided without unreasonable delay.

Our relations with connecting roads, have in the main, been satisfactory, and in the transaction of business on our own road, I have had the hearty co-operation of the employees generally.

Yours truly,

R. A. PACKER,
Superintendent.

